

**ZL-60D** 

Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 06/02/2016 Revision date: 06/02/2021 Version: 1.1

# **SECTION 1: IDENTIFICATION**

### 1.1. PRODUCT IDENTIFIER

Product name : ZL-60D
Product code : Not available

# 1.2. RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Use of the substance/mixture : Non-Destructive Testing

# 1.3. DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Manufacturer Distributor

Magnaflux 155 Harlem Ave. Glenview, IL 60025 - USA T: 847-657-5300

# 1.4. EMERGENCY TELEPHONE NUMBER

Emergency number : CHEMTREC 800-424-9300

### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

### **GHS** classification

Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Asp. Tox. 1

# 2.2. LABEL ELEMENTS

# **GHS** labeling

Hazard pictograms (GHS)



GHS07



Signal word (GHS) : Danger

Hazard statements (GHS) : Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. May

be fatal if swallowed and enters airways.

Precautionary statements (GHS) : Wash hands thoroughly after handling. Wear protective gloves/eye protection/face protection.

Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

### 2.3. OTHER HAZARDS

No additional information available.

# 2.4. UNKNOWN ACUTE TOXICITY (GHS)

Not applicable.

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.1. SUBSTANCE

Not applicable.

06/02/2021 EN (English US) Page 1



**ZL-60D** 

Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

### 3.2. MIXTURE

Name	Product identifier	%
Petroleum distillates, hydrotreated light	(CAS No) 64742-47-8	34.96
Alcohols, C6-12, ethoxylated propoxylated or Alcohols, C6-10, ethoxylated propoxylated	(CAS No) 68937-66-6 or (CAS No) 68987-81-5	19.96
Alcohols, C12-15, ethoxylated propoxylated	(CAS No) 68551-13-3	16.98
9-Octadecenamide, N-(2-hydroxypropyl)-, (Z)-	(CAS No) 111-05-7	2.70

### **SECTION 4: FIRST AID MEASURES**

# 4.1. DESCRIPTION OF FIRST AID MEASURES

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before

reuse. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or

doctor/physician.

First-aid measures after ingestion : IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce

vomiting.

# 4.2. MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Symptoms/injuries after inhalation : May cause respiratory tract irritation.

Symptoms/injuries after skin contact : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking

of the skin. May cause an allergic skin reaction.

Symptoms/injuries after eye contact : Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and

tear production, with marked redness and swelling of the conjunctiva. May cause burns.

Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and

cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

# 4.3. INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

# **SECTION 5: FIREFIGHTING MEASURES**

# 5.1. EXTINGUISHING MEDIA

Suitable extinguishing media : Water fog. Water spray. Foam. Dry chemical. Carbon dioxide.

Unsuitable extinguishing media : Do not use water jet.

# 5.2. SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon, hydrocarbons, fumes.

# 5.3. ADVICE FOR FIREFIGHTERS

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory

protection (SCBA). Use water spray to keep fire-exposed containers cool.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# 6.1. PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

### 6.2. METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

For containment : Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable

container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal

Protective Equipment (PPE).

Methods for cleaning up : Scoop up material and place in a disposal container. Provide ventilation.

### 6.3. REFERENCE TO OTHER SECTIONS

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

06/02/2021 EN (English US) 2/6





Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. PRECAUTIONS FOR SAFE HANDLING

Do not get in eyes, on skin, or on clothing. Avoid breathing dust/fume/gas/mist/vapors/spray. Precautions for safe handling

Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.

: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking. Hygiene measures

#### CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES 7.2.

Storage conditions : Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well-

ventilated place.

#### 7.3 SPECIFIC END USE(S)

Not available.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **CONTROL PARAMETERS** 8.1.

Petroleum distillates, hydroti	reated light (64742-47-8)	
ACGIH	ACGIH RCP-TWA (mg/m³)	1200 mg/m³ (143 ppm) (vapor - total hydrocarbons; supplier exposure limits)
OSHA	Not applicable	
Alcohols, C6-12, ethoxylated	propoxylated (68937-66-6)	
ACGIH	Not applicable.	
OSHA	Not applicable.	
Alcohols, C6-10, ethoxylated	propoxylated (68987-81-5)	
ACGIH	Not applicable.	
OSHA	Not applicable.	
Alcohols, C12-15, ethoxylate	d propoxylated (68551-13-3)	
ACGIH	Not applicable.	

OSHA	Not applicable.
9-Octadecenamide, N-(2-hydroxypropyl)-, (Z)- (111-05-7)	
ACGIH	Not applicable.

# **EXPOSURE CONTROLS**

OSHA

8.2.

Appropriate engineering controls : Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below

recommended exposure limits.

Hand protection : Wear chemically resistant protective gloves.

Eye protection : Chemical goggles or face shield. : Wear suitable protective clothing. Skin and body protection

Not applicable.

: In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection Respiratory protection

must be based on known or anticipated exposure levels, the hazards of the product and the

safe working limits of the selected respirator.

Environmental exposure controls : Maintain levels below Community environmental protection thresholds.

Other information Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully

before eating or smoking. Handle according to established industrial hygiene and safety practices.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES 9.1.

Physical state : Liquid Appearance : Oily Color : Green Odor : Mild oily

Odor threshold : No data available

рН : Neutral

06/02/2021 EN (English US)





Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Melting point : No data available Freezing point : No data available Boiling point : No data available Flash point : > 200 °F (>93 °C) Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not flammable **Explosion limits** : No data available Explosive properties : No data available Oxidizing properties : No data available : No data available Vapor pressure

Relative vapor density at 20 °C : No data available Solubility : No data available. Partition coefficient: n-octanol/water : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity : No data available

: 0.918

Viscosity, kinematic : 9.32 - 11.4 cSt Viscosity, dynamic : No data available

# 9.2. OTHER INFORMATION

VOC content : 304 g/l

# **SECTION 10: STABILITY AND REACTIVITY**

### 10.1. REACTIVITY

Relative density

No dangerous reaction known under conditions of normal use.

# 10.2. CHEMICAL STABILITY

Stable under normal storage conditions.

### 10.3. POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reaction known under conditions of normal use.

### 10.4. CONDITIONS TO AVOID

Heat. Incompatible materials.

# 10.5. INCOMPATIBLE MATERIALS

Strong oxidizing agents. Halogens. Alkalis. Acids. Caustics. Bases.

# 10.6. HAZARDOUS DECOMPOSITION PRODUCTS

May include, and are not limited to: oxides of carbon, hydrocarbons, fumes.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1. INFORMATION ON TOXICOLOGICAL EFFECTS

Acute toxicity : Not classified

ZL-60D	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat	No data available
Petroleum distillates, hydrotreated light (64742-47-8)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 inhalation rat	> 5000 mg/m <sup>3</sup> /4h (vapor)
Alcohols, C12-15, ethoxylated propoxylated (68551-13-3)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	2000 mg/kg

06/02/2021 EN (English US) 4/6



**ZL-60D** 

Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Reproductive toxicity : Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure) : Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure) : Based on available data, the classification criteria are not met.

Aspiration hazard : May be fatal if swallowed and enters airways.

Symptoms/injuries after inhalation : May cause respiratory tract irritation.

Symptoms/injuries after skin contact : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking

of the skin. May cause an allergic skin reaction.

Symptoms/injuries after eye contact : Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and

tear production, with marked redness and swelling of the conjunctiva. May cause burns.

Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and

cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

# **SECTION 12: ECOLOGICAL INFORMATION**

# 12.1. TOXICITY

Ecology - general : May cause long-term adverse effects in the aquatic environment.

### 12.2. PERSISTENCE AND DEGRADABILITY

ZL-60D	
Persistence and degradability	Not established.

# 12.3. BIOACCUMULATIVE POTENTIAL

ZL-60D	
Bioaccumulative potential	Not established.

# 12.4. MOBILITY IN SOIL

No additional information available.

# 12.5. OTHER ADVERSE EFFECTS

Effect on the global warming : No known effects from this product.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

# 13.1. WASTE TREATMENT METHODS

Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.

# **SECTION 14: TRANSPORT INFORMATION**

In accordance with DOT/TDG/IATA/IMDG

DOT (bulk) : Not regulated
DOT (non-bulk) : Not regulated
TDG : Not regulated
IATA : Not regulated
IMDG : Not regulated

**ADDITIONAL INFORMATION** 

Other information : No supplementary information available.

Special transport precautions : Do not handle until all safety precautions have been read and understood.

06/02/2021 EN (English US) 5/6





Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

# **SECTION 15: REGULATORY INFORMATION**


### 15.1. FEDERAL REGULATIONS

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories, except for:

Alcohols, C12-14-secondary CAS No 126950-60-5

NFPA health hazard : 2
NFPA fire hazard : 1
NFPA reactivity : 0



# 15.3. US STATE REGULATIONS

ZL-60D	
State or local regulations	This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

# **SECTION 16: OTHER INFORMATION**

Date of issue : 06/02/2016
Revision date : 06/02/2021
Other information : None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

06/02/2021 EN (English US) 6/6